# American Time Use Survey (ATUS) Data Dictionary: 2004 Interview Data

Variables collected in ATUS

May 2006

# Important Information about the ATUS Data Dictionary

#### Introduction

The American Time Use Survey (ATUS) is sponsored by the Bureau of Labor Statistics and conducted by the Census Bureau. The purpose of this document is to provide information about the variables available on four of the 2004 ATUS public use data files: the Respondent file, the Roster file, the Activity file, and the Who file. These files contain information gathered through the 2004 ATUS interviews.

This data dictionary lists all the variables available on these files and their valid values. It also provides directions on how to read the data dictionary.

Two additional data dictionaries describe other 2004 ATUS public use data files. One describes the 2004 ATUS-CPS file, which contains data from the Current Population Survey (CPS) public use files for those selected to be surveyed for ATUS and members of their households. (The information on the ATUS-CPS file was collected two to five months before the 2004 ATUS interview and in some cases was out of date at the time of the ATUS survey.) The other data dictionary describes the ATUS survey methodological data, made up of the Case History file and the Call History file. These additional data dictionaries are available on the ATUS website at <a href="http://www.bls.gov/tus/datafiles\_2004.htm">http://www.bls.gov/tus/datafiles\_2004.htm</a>.

#### **ATUS Interview Data Files**

The following four data files include public use data available from the ATUS interviews.

#### 1. 2004 ATUS Respondent File

This file contains case-specific variables collected in ATUS in 2004 (that is, variables for which there is one value for each respondent). These include, for example, labor force and earnings information, total time providing secondary childcare, and ATUS weights.

There is one record for each ATUS respondent.

Below is a simplified example. The TUCASEID identifies each household, and TULINENO identifies each individual within the household. The example contains responses from five individuals; note that the respondent always has TULINENO=1. In the example, each respondent has corresponding values denoting school enrollment (TESCHENR), labor force status (TELFS), and total time spent alone (TRTALONE). The actual ATUS Respondent file contains many more variables as well as many more lines.

TUCASEID	TULINENO	TESCHENR	TELFS	TRTALONE
20040101020210	1	1	1	40
20040101020211	1	1	1	350
20040101020212	1	1	5	0
20040101020213	1	2	5	556
20040101020214	1	1	4	100

#### 2. 2004 ATUS Roster File

This file contains information on the age, sex, and relationship to the ATUS respondent of every household member. The same information is also included for the respondent's own non-household children under 18.

There is one record for each individual in the respondent's household (including the respondent's own non-household children under 18).

A simplified example appears below. The TUCASEID identifies each household, and the TULINENO identifies each individual in the household. In the example below, TUCASEID 20040101020210 has three persons residing

in the household, and TUCASEID 20040101020211 20030101020211 and TUCASEID 200401010120212 each have one person. The actual ATUS Roster file contains more variables and many additional lines.

TUCASEID	TULINENO	TERRP	TESEX	TEAGE
20040101020210	1	18	2	42
20040101020210	2	20	1	45
20040101020210	3	22	1	11
20040101020211	1	18	1	65
20040101020212	1	18	2	21

## 3. 2004 ATUS Activity File

This file includes activity-level information collected in ATUS, including activity code, location, duration, activity start and stop times, and whether respondents had a child under 13 in their care during the activity. Location (or "where") information is not collected for some selected activities (such as sleeping and grooming); a value that indicates the activity was "out of universe" for the "where" question (-1) is filled in these situations.

There is one record for each activity.

A simplified example of the ATUS Activity file appears below. This is an illustration of one respondent's day. Because only one person is interviewed per household, each TUCASEID on the Activity file identifies a respondent. Each activity is identified by an activity number (TUACTIVITY\_N). The ATUS Activity file contains more variables describing each activity as well as many more lines than does the example below.

TUCASEID	TUACTIVITY_N	TUSTARTTIM	TUSTOPTIME
20040101020210	1	04:00:00	07:00:00
20040101020210	2	07:00:00	07:30:00
20040101020210	3	07:30:00	14:00:00
20040101020210	4	14:00:00	21:00:00
20040101020210	5	21:00:00	04:00:00

#### 4. 2004 ATUS Who File

This file includes codes that indicate who was present during each activity.

There is one record for each "who" code reported. Therefore, there will be one record for activities done alone and multiple records for activities with multiple people present. For some activities, no "who" codes are collected (such as sleeping and grooming); a value that indicates the activity was "out of universe" for the "who" question (-1) is filled in these situations.

A simplified example appears below. In the first activity (TUACTIVITY\_N = 1), no "who" code information was collected due to the associated activity code. Only one person was with the respondent during the second activity, so there is one line for TUACTIVITY\_N = 2. Three people were with the respondent during the third activity, so there are three lines for TUACTIVITY\_N = 3. Two of those (TUWHO\_CODE = 20 and 22) are members of the respondent's household and can be linked to the Roster file using TULINENO. The third (TUWHO\_CODE = 51) is not a member of the respondent's household and thus does not have a positive value for TULINENO. The actual ATUS Who file contains more variables for each line as well as many additional lines.

TUCASEID	TUACTIVITY_N	TUWHO_CODE	TULINENO
20040101020210	1	-1	-1
20040101020210	2	22	3
20040101020210	3	20	2
20040101020210	3	22	3
20040101020210	3	51	-1

## **Valid Values**

Each variable has a number of valid values or a range of valid values. For example, TESEX has two valid values: 1 for male and 2 for female. TEAGE, on the other hand, has a range of valid values – any entry between 0 and 80 is considered valid. Individual valid values or a range of valid values are listed under each variable in the data dictionary. A few variables have so many valid values that they are not included on the data dictionary; instead, they are provided in an appendix or a separate document. (References to these are included as a "Note" under the relevant variables in the data dictionary.) One example of a variable like this is TEIO1ICD, which identifies the industry code of the respondent's main job.

Many ATUS variables have the following possible valid values:

Value	Description
-1	Blank
-2	Don't know
-3	Refused

Since so many variables have these possible values, they are not shown as valid entries for each variable.

TUCASEID, the primary identification number for ATUS, does not have either a list of valid values or a range of valid values.

# **ATUS Naming Conventions and Definitions**

ATUS variables are named according to specified rules. Variables with a first character of "T" (for time use) were collected or created through the ATUS interview. Variables with any other first character (most often "P", "G", or "H") were collected or created through the final CPS interview (conducted two to five months prior to the ATUS interview). All of the variables on the ATUS interview data files described in this dictionary begin with "T."

The second and third characters of the name identify the type of variable, and the remaining characters consist of a descriptive name. The rules regarding the first two or three characters are described in the table below:

Abbreviation	Variable Type	Definition
U	Unedited Variable	An unedited variable generally is produced by the Computer Assisted Telephone Interview (CATI) instrument, either collected or assigned during the interview. There are a few unedited variables that are computed by the processing, such as the ATUS final weight (TUFINLWGT).
E	Edited Variable	An edited variable is one that has gone through an editing process, or consistency checks. Values of edited variables are almost always equal to values of the corresponding unedited variables. Data differ when a value is allocated or imputed by the processing system based on allocation rules specified in CPS or ATUS processing. Allocations are typically performed when the unedited variable contains a value of blank, "don't know," or "refused."  An edited version of a variable exists only if that variable goes through an editing process. If there are no edits for a variable, then only an unedited version of that variable exists.  The instrument enforces consistency between many variables. Industry and occupation edits are an exception, as the instrument cannot ensure consistency
		because numeric codes are not assigned until the case is sent to the National Processing Center (NPC). (This is also the standard CPS procedure.)
R	Recode	A recode is a variable calculated by the processing system from a combination of other variables on the file. For example, TRMJOCC1 is the major occupation code for the respondent's main job; this is not a response to a question but rather a variable that summarizes (or "groups") the more finely detailed occupation code TEIO1OCD. (Note that variables with second and third characters of "RT" are summary variables.)
RT	Summary Variable	These variables summarize the amount of time respondents spend with other people or doing selected activities. For example, TRTALONE gives the total amount of time the respondent spent alone on the diary day. Variables that summarize the amount of time respondents spent with other people rely on "who" code information and therefore do not include activities for which no "who" code information was collected, such as sleeping.
X	Allocation Flag	Each edited variable has a corresponding allocation flag indicating the nature of the allocation. For example, if TUAGE is blank, TEAGE would be allocated, and this would be indicated by a TXAGE value of 41. See the section on allocation flags for the standard list of values.
XT	Summary Allocation Flag	Some summary variables have a corresponding XT variable, which is a 0-1 indicator of whether or not the summary variable contains allocated information. For example, a value of 1 in TXTCC indicates that TRTCC and TRTCC_LN contain allocated rather than calculated data.
Т	Topcode Flag	These variables indicate whether another variable has been topcoded, or given a maximum value. The three topcode variables on the ATUS interview data files all relate to earnings.

Using these rules, variables can be more readily understood based on their names. For example, the variable TEAGE can be broken down as follows:

- The first character "T" indicates that this variable was collected or created through the ATUS interviews
- The second character "E" indicates that this variable went through an editing process; it also means that there
  will be a corresponding allocation flag, TXAGE, to indicate the nature of the allocation
- The final part of the variable name, "AGE," is descriptive

Some questions asked in the ATUS interview allow for more than one response. For such multiple entry questions, there is a separate variable for each possible response. Each variable has the same descriptive name but a different (sequential) number. For example, respondents can provide up to six answers to the question "You said you have been trying to find work – how did you go about looking?" The variable names are TULKDK1, TULKDK2, TULKDK3, etc.

Not all ATUS variables are on the public use files. When there is an edited variable, the corresponding unedited variable is usually omitted from the public use files. This is typically done to protect the confidentiality of ATUS respondents as required by law. If an unedited variable is included on the public use files, it generally means that an edited version does not exist and that the unedited version cannot be used to identify individual respondents.

## **Allocation Flags**

For every edited variable (or all "E" variables), there is a corresponding allocation flag whose second character is "X." All remaining characters of the two variables' names are the same. For example, TXSEX is the allocation flag for TESEX.

All allocation flags (except for variables with the second and third characters of "XT") have the following list of possible values:

00 Value - no change Blank – no change 01 Don't know - no change 02 Refused - no change 03 Value to value 10 Blank to value 11 12 Don't know to value 13 Refused to value 20 Value to longitudinal value 21 Blank to longitudinal value Don't know to longitudinal value 22 23 Refused to longitudinal value 30 Value to allocated longitudinal value (unused) Blank to allocated longitudinal value (unused) 31 32 Don't know to allocated longitudinal value (unused) Refused to allocated longitudinal value (unused) 33 Value to allocated value 40 41 Blank to allocated value Don't know to allocated value 42 43 Refused to allocated value 50 Value to blank 52 Don't know to blank 53 Refused to blank

Each digit of these valid values identifies how and why edited variables were allocated.

The first digit indicates how the allocation was made to the "E" (or edited) variable.

First Digit				
0 or Blank	No change between "U" variable and "E" variable			
1	"E" variable changed to a value			
2	"E" variable changed to a longitudinal value (the corresponding			
	value from the CPS data)			
3	"E" variable changed to an allocated longitudinal value (the			
	corresponding allocated value from CPS data) - unused			
4	"E" variable changed to allocated value			
5	"E" variable changed to a blank			

The second variable indicates why the "U" variable was allocated, whether the value was an unacceptable one, missing, don't know, or refused.

	Second Digit				
0	"U" variable was equal to some value				
1	"U" variable was blank (or -1)				
2	"U" variable was don't know (or -2)				
3	"U" variable was refused (or -3)				

Only one of the "X" allocation flags has more values than those listed above: TXAGE. There are two additional values to indicate that TEAGE has been topcoded or given a maximum value. These values are listed in the data dictionary.

There are two other variables that indicate allocation and do not follow the "X" variable values. These variables all have values of either 0 or 1, with 1 indicating that another variable has been allocated. These variables include:

TRWERNAL	Indicates that TRERNWA (weekly earnings) contains allocated information. This variable will not
	indicate topcoding in TRERNWA; variables indicating topcoding are TTOT, TTWK, and TTHR.
TRHERNAL	Indicates that TRERNHLY (hourly earnings) contains allocated information. This variable will not indicate topcoding in TRERNHLY; variables indicating topcoding are TTOT, TTWK, and TTHR.

Additionally, the "XT" variables do not have the standard "X" variable values. Like the two variables indicated above, these variables all have values of either 0 or 1, with 1 indicating that another variable has been allocated.

#### **Edited Universe**


Edited variables and recodes are defined for certain universes, and these are listed in the data dictionary. For example, TEIO1OCD (occupation code) is only defined when the respondent is employed. Therefore, the universe for TEIO1OCD is TELFS = 1 or 2 (TELFS is the labor force status of the respondent, and values of 1 or 2 indicate that the respondent is employed).

Certain variables might initially appear to be the same because their descriptions are very similar. These variables are different in that they were asked of different groups. For example, the variables TEERNH10 and TEERNH2 both have the same question text of "Excluding overtime pay, tips, and commissions, what is your hourly rate of pay on your main job?" The difference in these two variables has to do with which respondents were asked each question. This can be determined by looking at the edited universes. TEERNH10 was asked of respondents with TEERNPER = 1, or those respondents who said it was easiest to report their earnings hourly. TEERNH2, on the other hand, was asked of respondents with TEERNRT = 1, or those respondents who said they were paid hourly but reported their earnings another way.

# **Organization of the Data Dictionary**

Variables are listed in the data dictionary in alphabetical order.

Below is a sample entry from the ATUS interview data dictionary:



#### **Frequently Used Variables**

The ATUS files have many variables and users may sometimes have difficulty determining which variables to use. A list of the most commonly used ATUS variables is available at <a href="https://www.bls.gov/tus/freqvariables.pdf">www.bls.gov/tus/freqvariables.pdf</a>.

## **Linking ATUS Public Use Files**

Each of the ATUS public use files contains useful information, but in order to produce most estimates, the files must be linked. All of the public use files contain the variables TUCASEID, which is the ATUS identification number. Two other variables that can be used for linking in conjunction with TUCASEID are TULINENO (person line number) and TUACTIVITY N (activity line number).

File	Linking Variables
Respondent file	TUCASEID
	TULINENO (always equal to 1 on the Respondent file)
Roster file	TUCASEID
	TULINENO
Activity file	TUCASEID
-	TUACTIVITY_N
Who file	TUCASEID
	TUACTIVITY_N
	TULINENO
ATUS-CPS file	TUCASEID
	TULINENO
Case History file	TUCASEID
Call History file	TUCASEID
Activity Summary file	TUCASEID

The ATUS public use files can also be linked to CPS public use files. More information is available in the 2004 ATUS-CPS data dictionary.

# Changes between ATUS 2003 and 2004 Data Files

Those wishing to use multiple years of ATUS data should be aware of methodological and definitional changes between years. Between 2003 and 2004, there are a number of new, discontinued, and changed variables. Additionally, there are some differences between the 2003 and 2004 Coding Lexicons. For a list of these changes, see the document on methodological and definitional changes (<a href="https://www.bls.gov/tus/2004changes.pdf">www.bls.gov/tus/2004changes.pdf</a>) and the document describing Coding Lexicon changes (<a href="https://www.bls.gov/tus/lexiconchanges.pdf">www.bls.gov/tus/lexiconchanges.pdf</a>).

## Pooling 2003 and 2004 ATUS Data

The methodology used to weight the 2004 data was different from that used to weight the 2003 data. In 2003, the ATUS weights added up to the number of person-days in the month only for the population as a whole. In 2004, the methodology was changed so that ATUS weights add up to the number of person-days for selected subpopulations as well as for the general population.

Users who wish to pool 2003 and 2004 data in order to increase the number of observations should use weights calculated according to the 2004 methodology. On September 20, 2004, these new weights were added to the 2003 Respondent file, as variable TU04FWGT.

# 2004 ATUS Data Dictionary: Public ATUS Interview Data

<u>Name</u>	<u>Description</u>			r ubile / (100 interview b	<u>File</u>
TEABSRSN	Edited: what was the week?	ne main reaso	on you were abs	ent from your job last	Respondent File
	Edited Universe:	TELFS=2			
	Valid Entries:	1 2 3 4 5 6 7 8 9	Slack work/bus Waiting for a no Vacation/perso Own illness/inju Childcare prob	ury/medical problems lems ersonal obligation rnity leave	
		11 12 13	School/training Civic/military d		
TE 4 0 E	- w .	14	Other		5 . 5"
TEAGE	Edited: age	A.II			Roster File
	Edited Universe:	All persons	on roster		
	Valid Entries:	0 80		Min Value Max Value	
		·	·	or above have TEAGE = 80)	
TEERN	Edited: total weekly				Respondent File
	Edited Universe:	TEERNUO1	Γ = 1 and TEERI	NPER = 1	
	Valid Entries:	0 288461		Min Value Max Value	
TEERNH10	Edited: excluding or rate of pay on your			issions, what is your hourly ls)	Respondent File
	Edited Universe:	TEERNPER	R = 1		
	Valid Entries:	0 9999		Min Value Max Value	
TEERNH2	Edited: excluding or rate of pay on your	vertime pay,	tips, and commi	issions, what is your hourly	Respondent File
	Edited Universe:	TEERNRT =	= 1		
	Valid Entries:	0 9999		Min Value Max Value	
TEERNHRO	Edited: how many	y hours do you usually work per week at this rate?			Respondent File
	Edited Universe:	TEERNH1C	) >= 0		
	Valid Entries:	1 99		Min Value Max Value	
TEERNHRY	Edited: hourly/non-	hourly status			Respondent File

<u>Name</u>	<u>Description</u> Edited Universe:	TELFS = 1	or 2 and TEIO1	COW = 1 - 5	<u>File</u>
	Valid Entries:	1	Paid hourly		
	valiu Eliules.	1 2	Not paid hourl	V	
TEERNPER		ain job, what ore taxes or c	is the easiest wa	ay for you to report your hourly, weekly, annually,	Respondent File
	Edited Universe:	TELFS = 1	or 2 and TEIO1	COW = 1 - 5	
	Valid Entries:	1	Hourly		
		2	Weekly		
		3	Bi-weekly		
		4	Twice monthly	/	
		5	Monthly		
		6	Annually		
TEEDNOT	Edited and the	7	Other		Decreeded Etc.
TEERNRT	another way, are y	ou paid at a	n hourly rate on t	eport your earnings this job?	Respondent File
	Edited Universe:	TEERNPE	R = 2 - 7		
		_	V		
	Valid Entries:	1 2	Yes No		
TEERNUOT	Editad: da van na			s, or commissions at your	Respondent File
TEERNOOT	main job?				nespondent rile
	Edited Universe:	IELFS = 1	or 2 and TEIO1	COW = 1 - 5	
	Valid Entries:	1	Yes		
TEEDANANCE	E 15. 1.1	2	No	10	D 1 . E''
TEERNWKP	Edited: how many	weeks a yea	ar do you get pai	a?	Respondent File
	Edited Universe:	TEERNPE	R = 6		
	Valid Entries:	1		Min Value	
		52		Max Value	
TEHRFTPT	Edited: do you usu job(s)/family busin		ore than 35 hours	s per week at your	Respondent File
	Edited Universe:	TEHRUSL	1 = -4 or TEHRU	JSL2 = -4	
	Valid Entries:	1	Yes		
		2	No		
		3	Hours vary		
TEHRUSL1	Edited: how many	hours per we	eek do you usua	lly work at your main job?	Respondent File
	Edited Universe:	TELFS = 1	or 2		
	Valid Entries:	0		Min Value	
		999		Max Value	
	* Note: -4 (Hour		o valid for TEHR		
TEHRUSL2	<u> </u>	<u> </u>			Respondent File
LITTOOLZ	job(s)?		·		respondent i lie
	Edited Universe:	1ELF5 = 1	or 2 and TEMJO	) i = 1	

<u>Name</u>	<u>Description</u> Valid Entries:	0 999		Min Value Max Value	<u>File</u>
	,		o valid for TEHR		
TEHRUSLT	Edited: total hours usually worked per week (sum of TEHRUSL1 and TEHRUSL2)				Respondent File
	Edited Universe:	TELFS = 1	or 2		
	Valid Entries:	0 999		Min Value Max Value	
	* <b>Note:</b> -4 (Hours	s vary) is also	o valid for TEHR	USLT	
TEIO1COW	Edited: individual of	class of worke	er code (main jol	b)	Respondent File
	Edited Universe:	TELFS = 1	or 2		
	Valid Entries:	1 2 3 4 5 6 7	Government, s Government, le Private, for pro Private, nonpro Self-employed Self-employed Without pay	state ocal ofit ofit	
TEIO1ICD	Edited: industry co	de (main job)			Respondent File
	Edited Universe:  Valid Entries:  * Note: Refer to	TELFS = 1  0  9999  Appendix A f	or 2 for a list of indus	Min Value Max Value try codes	
TEIO10CD	Edited: occupation	n code (main	job)		Respondent File
	Edited Universe:  Valid Entries:  * Note: Refer to	TELFS = 1 0 9999 Appendix A f	or 2 for a list of occup	Min Value Max Value pation codes	
TELAYAVL	Edited: could you heen recalled?	nave returned	d to work in the la	ast seven days if you had	d Respondent File
	Edited Universe:	TELFS = 3			
	Valid Entries:	1 2	Yes No		
TELAYLK	Edited: even thoug looking for work du			ck to work, have you bee	n Respondent File
	Edited Universe:	TELAYAVL	. = 1 or 2		
	Valid Entries:	1 2	Yes No		
TELFS	Edited: labor force	status			Respondent File
	Edited Universe:	All respond	ents		
	Valid Entries:	1	Employed - at	work	

<u>Name</u>	<u>Description</u>			<u>File</u>
	Edited Universe:	All responde	ents	
	Valid Entries:	2	Employed - absent	
		3	Unemployed - on layoff	
		4	Unemployed - looking	
TELIZAN/I	Editod, sould you b	5	Not in labor force	Decreadent File
TELKAVL	offered?		a job in the last seven days if one had been	Respondent File
	Edited Universe:	TELKM1 =	1 - 13	
	Valid Entries:	1 2	Yes No	
TELKM1	Edited: what are a last 4 weeks? (first	ll of the thing	s you have done to find work during the	Respondent File
	Edited Universe:	TELFS = 4		
	Lation Offivoroo.	TEEL O		
	Valid Entries:	1	Contacted employer directly/interview	
		2	Contacted public employment agency	
		3	Contacted private employment agency	
		4	Contacted friends or relatives	
		5	Contacted school/university employment cen	ter
		6	Sent out resumes/filled out applications	
		7	Checked union/professional registers	
		8 9	Placed or answered ads	
		10	Other active Looked at ads	
		11	Attended job training programs/courses	
		12	Nothing	
		13	Other passive	
			bb search methods, users must combine all fie - TULKDK6, and TULKPS1 - TULKPS6	lds TELKM1, TULKM2
TEMJOT		•	id you have more than one job?	Respondent File
	Edited Universe:	TELFS = 1	or 2	· ·
	Valid Entries:	1	Vac	
	valiu Ettutes.	1 2	Yes No	
TERET1	Edited: do you curi		job, either full or part time?	Respondent File
	Edited Universe:	TELFS = 5	and (TURETOT = 1 or TUFABS = 3 or TUFWh E >= 50	( = 3 or TULAY = 3)
	Valid Entries:	1	Yes or maybe/it depends	
		2	No	
		3	Has a job	
TERRP	Edited: how is this			Roster File
	Edited Universe:	All persons	on roster	
	Valid Entries:	18	Self	
		19	Self	
		20	Spouse	
		21	Unmarried partner	
		22	Own household child	

Name	Description			File
	Valid Entries:	23	Grandchild	
	Valia Eriaiooi	24	Parent	
		25	Brother/sister	
		26	Other relative	
		27	Foster child	
		28	Housemate/roommate	
		29	Roomer/boarder	
		30	Other nonrelative	
		40	Own non-household child < 18	
	* Note: There is	-	n between 18 and 19. Codes of 40 refer to peo	pple living outside the
		ent's househo		
TESCHENR			school, college, or university?	Respondent File
	Edited Universe:	Responden	its aged 15 to 49 (or age unknown)	
	Valid Entries:	1	Yes	
		2	No	
TESCHFT	Edited: are you en	rolled as a ful	II-time or part-time student?	Respondent File
	Edited Universe:	TESCHEN	R = 1 or 2	
	Valid Entries:	1	Full time	
		2	Part time	
TESCHLVL	Edited: would that	be high scho	ool, college, or university?	Respondent File
	Edited Universe:	TESCHEN	R = 1	
	Valid Entries:	1	High school	
		2	College or university	
TESEX	Edited: sex			Roster File
	Edited Universe:	All persons	on roster	
	Valid Entries:	1	Male	
		2	Female	
TESPEMPNOT	Edited: employmen	nt status of sp	pouse or unmarried partner	Respondent File
	Edited Universe:	TRSPPRES	S = 1 or 2	
	Valid Entries:	1	Employed	
		2	Not employed	
TESPUHRS	Edited: usual hours	s of work of s	pouse or unmarried partner	Respondent File
	Edited Universe:	TESPEMPI	NOT = 1	
	Malia Catalana	0	Mr. Mala	
	Valid Entries:	0	Min Value	
	<b>* N.</b> - <b>4</b> / 1. 1	99	Max Value	
	•		o valid for TESPUHRS	
TEWHERE	Edited: where were	you during t	the activity?	Activity File
	Edited Universe:	All activities	s (except those noted below)	
	Valid Entries:	1	Respondent's home or yard	
		2	Respondent's workplace	
		3	Someone else's home	
		4	Restaurant or bar	

<u>Name</u>	<u>Description</u>	<u>File</u>		
	Edited Universe:	All activities (except those noted below)		
	Valid Entries:	5 Place of worship		
		6 Grocery store		
		7 Other store/mall		
		8 School		
		9 Outdoors away from home		
		10 Library		
		11 Other place		
		12 Car, truck, or motorcycle (driver)		
		Car, truck, or motorcycle (passenger)		
		14 Walking		
		15 Bus		
		16 Subway/train 17 Bicycle		
		17 Bicycle 18 Boat/ferry		
		19 Taxi/limousine service		
		20 Airplane		
		21 Other mode of transportation		
		30 Bank		
		31 Gym/health club		
		32 Post Office		
		89 Unspecified place		
	***	99 Unspecified mode of transportation	0.10.1	
	500106.	cted for activities with activity codes of 0101xx, 0102xx, Values 30, 31, and 32 are new values that do not appea for to October 2004, these values would have been class 1).	r in the data until October	
TRCHILDNUM	Number of househ	old children < 18	Respondent File	
	Edited Universe:	All respondents		
	Valid Entries:	0 Min Value		
		30 Max Value		
TRDPFTPT	Full time or part tin	ne employment status of respondent	Respondent File	
	Edited Universe:	TELFS = 1 or 2		
	Valid Entries:	1 Full time		
		2 Part time		
TRDTIND1	Detailed industry re		Respondent File	
	Edited Universe:	TELFS = 1 or 2		
	Valid Entries:	1 Min Value		
		51 Max Value		
	* Note: Detailed	industry recode values are listed in Appendix A		
TRDTOCC1	Detailed occupation	n recode (main job)	Respondent File	
	Edited Universe:	TELFS = 1 or 2		
	Valid Entries:	1 Management occupations		
	vana Entrico.	2 Business and financial operations occupa	tions	
		3 Computer and mathematical science occu		
			•	

<u>Name</u>	<u>Description</u>		<u>File</u>
	Edited Universe:	TELFS = 1 or 2	
	Edited Universe: Valid Entries:	TELFS = 1 or 2  4	ia occupations tions ations ince occupations
		21 Production occupations	uons
TRERNHLY	Hourly cornings (	22 Transportation and material moving occupati	ions Respondent File
IREKINDLI	Edited Universe:	? implied decimals) TEERNHRY = 1	Respondent File
	Valid Entries:	0 Min Value 9999 Max Value	
	employe The allo entry in	the most-frequently used hourly earnings variable in ATUS and persons who say they work hourly and are not self-emplo cation flag for this variable is TRHERNAL. Subject to topcoof TEERNHRO such that TEERNHRO x TRERNHLY <= 2884 d in TTHR.	yed or without pay. ding based on the
TRERNUPD	Earnings update f	ag	Respondent File
	Edited Universe:	TELFS = 1 or 2 and TEIO1COW = 1 - 5	
	Valid Entries:	<ul> <li>Earnings carried forward from final CPS inter</li> <li>Earnings updated in ATUS</li> </ul>	rview
TRERNWA	Weekly earnings (	2 implied decimals)	Respondent File
	Edited Universe:	TELFS = 1 or 2 and TEIO1COW = 1 - 5	
	Valid Entries:	0 Min Value 288461 Max Value	
	employe variable	the most-frequently used earnings variable in ATUS and is ded persons who are not self-employed or without pay. The a is TRWERNAL. Subject to topcoding (the maximum value or); topcoding is indicated in TTOT, TTWK, and TTHR.	llocation flag for this
TRHERNAL	TRERNHLY: alloc	ation flag	Respondent File
	Edited Universe:	TEERNHRY = 1	
	Valid Entries:	TRERNHLY does not contain allocated information  TRERNHLY contains allocated information	mation

<u>Name</u>	<u>Description</u>			<u>File</u>
TRHHCHILD	Presence of house	hold children	ı < 18	Respondent File
	Edited Universe:	All respond	ents	
	Valid Entries:	1	Yes	
		2	No	
TRHOLIDAY	Flag to indicate if d			Respondent File
	Edited Universe:	All respond	ents	
	Valid Entries:	0 1	Diary day was not a holiday Diary day was a holiday	
	and Chri	ar's Day, Eas stmas Day a	ter, Memorial Day, the Fourth of July, Labor Day re identified as holidays. No interviews were decause interviewers did not work the Friday after	one about
TRIMIND1	Intermediate indus	try recode (m	nain job)	Respondent File
	Edited Universe:	TELFS = 1	or 2	
	Valid Entries:	1 2	Agriculture, forestry, fishing, and hunting Mining	
		3	Construction	
		4	Manufacturing - durable goods	
		5	Manufacturing - non-durable goods	
		6	Wholesale trade	
		7	Retail trade	
		8	Transportation and warehousing	
		9	Utilities	
		10	Information	
		11	Finance and insurance	
		12	Real estate and rental and leasing	
		13	Professional and technical services	
		14	Management, administrative and waste man	agement services
		15	Educational services	
		16	Health care and social services	
		17	Arts, entertainment, and recreation	
		18	Accommodation and food services	
		19 20	Private households	
		21	Other services, except private households Public administration	
TRMJIND1	Major industry reco			Respondent File
	Edited Universe:	TELFS = 1	or 2	
	Valid Entries:	1	Agriculture, forestry, fishing, and hunting	
		2	Mining	
		3	Construction	
		4	Manufacturing	
		5	Wholesale and retail trade	
		6	Transportation and utilities	
		7	Information	
		8	Financial activities	
		9	Professional and business services	
		10	Educational and health services	

<u>Name</u>	<u>Description</u>			<u>File</u>	
	Edited Universe:	TELFS = 1	or 2		
	Valid Entries:	11 12 13	Leisure and hospitality Other services Public administration		
TRMJOCC1	Major occupation r	ecode (main	job)	Respondent File	
	Edited Universe:	TELFS = 1	or 2		
	Valid Entries:	1 2 3 4 5 6 7 8	Management, business, and financial occup. Professional and related occupations Service occupations Sales and related occupations Office and administrative support occupations Farming, fishing, and forestry occupations Construction and extraction occupations Installation, maintenance, and repair occupa Production occupations	is tions	
TRMJOCGR	Major occupation of	10	Transportation and material moving occupat		
TRIVIJOCGR	Major occupation of Edited Universe:	TELFS = 1		Respondent File	
	Edited Offiverse.	TELFS - I	OI Z		
	Valid Entries:	1 2 3 4 5	Management, professional, and related occu Service occupations Sales and office occupations Farming, fishing, and forestry occupations Construction and maintenance occupations		
TRNHHCHILD	Presence of own n		Production, transportation, and material mov d child < 18	Respondent File	
-	Edited Universe:	All respond			
	Valid Entries:	1 2	Yes No		
TROHHCHILD	Presence of own h			Respondent File	
	Edited Universe:	All respond	lents		
	Valid Entries:	1 2	Yes No		
TRSPFTPT	Full time or part tin	ne employme	ent status of spouse or unmarried partner	Respondent File	
	Edited Universe:	TESPEMPI	NOT = 1		
	Valid Entries:	1 2 3	Full time Part time Hours vary		
TRSPPRES	household		pouse or unmarried partner in the	Respondent File	
	Edited Universe:	All respond	lents		
	Valid Entries:	1 2	Spouse present Unmarried partner present		

<u>Name</u>	<u>Description</u> Edited Universe:	All respondents		<u>File</u>
		All respondents		
TRTALONE	Valid Entries:  Total time respond	•	unmarried partner present	Respondent File
TRIALONE		·		nespondent rile
	Edited Universe:	All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
			/HO_CODE information; all ac sleeping, are omitted from the	
TRTCC		uring diary day providing sec on non-household children < 1		Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
	* Note: TDTCC	1440	Max Value	
TDTOO IN			TCC_LN for each TUCASEID	
TRTCC_LN		uring activity providing secon n non-household children < 1		Activity File
	Edited Universe:	All activities for respondent household child < 13	s who have at least one house	ehold or own non-
	Valid Entries:	0	Min Value	
	* Note: TDTCC	1440	Max Value	a. TDTOULL IN
		_LN is the maximum for the a HH_LN, and TRTONHH_LN	ctivity of the following variable	s: IRTOHH_LN,
TRTCCC	Total time respond	dent spent with customers, cli	ents, and coworkers	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
		iable is computed using TUW	/HO_CODE information; all ac working, are omitted from the c	
TRTCCTOT	Total time spent d children < 13	uring diary day providing sec	ondary childcare for all	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
		1440	Max Value	
			of TRTCCTOT_LN for each TU	
TRTCCTOT_LN	Total time spent d children < 13	uring activity providing secon	dary childcare for all	Activity File
	Edited Universe:	All activities		
	Valid Entries:	0	Min Value	
		1440 TOT_LN is the maximum for t HH_LN, TRTONHH_LN, and	Max Value the activity of the following vari TRTCOC I N	iables: TRTOHH_LN,
TRTCHILD		dent spent with household or	<del>_</del>	Respondent File
	Edited Universe:	All respondents		

Name	Description			File
	Valid Entries:	0	Min Value	<del></del>
	Valia Enaissi	1440	Max Value	
			WHO_CODE information; all a sleeping, are omitted from the	
TRTCOC	Total time spent during diary day providing secondary childcare for non- own, non-household children < 13			
	Edited Universe	: All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
	* Note: TRTC		TRTCOC_LN for each TUCA	SEID
TRTCOC_LN		during activity providing second children <13	ndary child care for non-	Activity File
	Edited Universe	: All activities		
	Valid Entries:	0	Min Value	
	* N	1440	Max Value	ne na esta a
	of 010		JCC8. It does not include activ, 0401xx, 0402xx, 0403xx, 170 is variable.	
TRTFAMILY	Total time response	ndent spent with family memb	ers	Respondent File
	Edited Universe	: All respondents		
	Valid Entries:	0	Min Value	
	* Notes This.	1440	Max Value	and data a factor data la coda a
	inform	ation is not collected, such as	WHO_CODE information; all a sleeping, are omitted from the	e calculation
TRTFRIEND	Total time response	ndent spent with friends		Respondent File
				<b>'</b>
	Edited Universe	: All respondents		
	Edited Universe	0	Min Value	
	Valid Entries:	0 1440	Max Value	
	Valid Entries:  * Note: This valid inform	0 1440 ariable is computed using TU ation is not collected, such as	Max Value WHO_CODE information; all a sleeping, are omitted from th	activities for which who e calculation
TRTHH	Valid Entries:  * Note: This valid inform	0 1440 ariable is computed using TU ation is not collected, such as during diary day providing se	Max Value WHO_CODE information; all a sleeping, are omitted from th	activities for which who
TRTHH	Valid Entries:  * Note: This winform Total time spent	0 1440 ariable is computed using TU ation is not collected, such as during diary day providing se ren < 13	Max Value WHO_CODE information; all a sleeping, are omitted from th	activities for which who e calculation
TRTHH	Valid Entries:  * Note: This valid inform  Total time spend household child	0 1440 ariable is computed using TU ation is not collected, such as during diary day providing se ren < 13	Max Value WHO_CODE information; all a sleeping, are omitted from th	activities for which who e calculation
TRTHH	Valid Entries:  * Note: This valid inform  Total time spent household child  Edited Universe  Valid Entries:	0 1440 ariable is computed using TU ation is not collected, such as during diary day providing se ren < 13 : All respondents  0 1440	Max Value WHO_CODE information; all a sleeping, are omitted from th condary childcare for  Min Value Max Value	activities for which who e calculation Respondent File
TRTHH	* Note: This vinform  Total time spent household child  Edited Universe  Valid Entries:  * Note: TRTH	0 1440 ariable is computed using TU' ation is not collected, such as during diary day providing se ren < 13 : All respondents  0 1440 H is the sum of all values of T	Max Value WHO_CODE information; all a sleeping, are omitted from th condary childcare for  Min Value Max Value RTHH_LN for each TUCASEI	activities for which who e calculation Respondent File
TRTHH TRTHH_LN	* Note: This vinform  Total time spent household child  Edited Universe  Valid Entries:  * Note: TRTH	0 1440 ariable is computed using TU lation is not collected, such as during diary day providing seren < 13 : All respondents  0 1440 H is the sum of all values of T during activity providing secoren < 13	Max Value WHO_CODE information; all a sleeping, are omitted from th condary childcare for  Min Value Max Value RTHH_LN for each TUCASEI ndary childcare for	activities for which who e calculation Respondent File  D  Activity File
	* Note: This vinform  Total time spent household child  Edited Universe  Valid Entries:  * Note: TRTH  Total time spent	0 1440 ariable is computed using TU lation is not collected, such as during diary day providing seren < 13 : All respondents  0 1440 H is the sum of all values of T during activity providing secoren < 13	Max Value WHO_CODE information; all a sleeping, are omitted from th condary childcare for  Min Value Max Value RTHH_LN for each TUCASEI	activities for which who e calculation Respondent File  D  Activity File
	Valid Entries:  * Note: This valid form Total time spent household child Edited Universe  Valid Entries:  * Note: TRTH Total time spent household child	0 1440 ariable is computed using TU action is not collected, such as during diary day providing seren < 13 : All respondents  0 1440 H is the sum of all values of T during activity providing secoren < 13 : All activities for respondent	Max Value WHO_CODE information; all a sleeping, are omitted from th condary childcare for  Min Value Max Value RTHH_LN for each TUCASEI Indary childcare for  Ints with at least one househole Min Value	activities for which who e calculation Respondent File  D  Activity File
	Valid Entries:  * Note: This varies inform  Total time spent household child  Edited Universe  * Note: TRTH  Total time spent household child  Edited Universe  Valid Entries:  Valid Entries:	0 1440 ariable is computed using TU action is not collected, such as during diary day providing se ren < 13 : All respondents  0 1440 H is the sum of all values of T during activity providing secoren < 13 : All activities for respondent	Max Value WHO_CODE information; all a sleeping, are omitted from th condary childcare for  Min Value Max Value RTHH_LN for each TUCASEI Indary childcare for  Its with at least one househole Min Value Max Value Max Value	D  Activity File  d child < 13
	Valid Entries:  * Note: This winform  Total time spent household child  Edited Universe  * Note: TRTH  Total time spent household child  Edited Universe  Valid Entries:  * Note: TRTH	0 1440 ariable is computed using TU action is not collected, such as during diary day providing se ren < 13 : All respondents  0 1440 H is the sum of all values of T during activity providing secoren < 13 : All activities for respondent	Max Value WHO_CODE information; all a sleeping, are omitted from th condary childcare for  Min Value Max Value RTHH_LN for each TUCASEI Indary childcare for  Ints with at least one househole Min Value	D  Activity File  d child < 13
	Valid Entries:  * Note: This wainform Total time spent household child Edited Universe  Valid Entries:  * Note: TRTH Total time spent household child Edited Universe  Valid Entries:  * Note: TRTH Total time spent household child Edited Universe  Valid Entries:	0 1440 ariable is computed using TU lation is not collected, such as during diary day providing se ren < 13 : All respondents  0 1440 H is the sum of all values of T during activity providing seco ren < 13 : All activities for respondent  0 1440 H_LN is the maximum for the	Max Value WHO_CODE information; all a sleeping, are omitted from the condary childcare for  Min Value Max Value RTHH_LN for each TUCASEI Indary childcare for  Its with at least one household Min Value Max Value Max Value activity of the following variab	D  Activity File  d child < 13

<u>Name</u>	<u>Description</u>			<u>File</u>
	Edited Universe	e: All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
		variable is computed using TUV nation is not collected, such as	VHO_CODE information; all ac	
TRTNOCHILD	Total time resp	ondent spent with non-own child	dren < 18	Respondent File
	Edited Universe	e: All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
		variable is computed using TUV nation is not collected, such as		
TRTNOHH	Total time sper own household	t during diary day providing sec children < 13	condary childcare for non-	Respondent File
	Edited Universe	e: All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
	* Note: TRT	NOHH is the sum of all values o		ASEID
TRTNOHH_LN	Total time sper household child	t during activity providing secor dren < 13	ndary childcare for non-own	Activity File
	Edited Universe	e: All activities for responden	ts with at least one non-own ho	ousehold child < 13
	Valid Entries:	0 1440	Min Value Max Value	
	code or pa	NOHH_LN is calculated using T s of 0101xx, 0301xx, 0302xx, 03 rt of any activity in which no hou C4). TXTNOHH is the allocation	UCC5B. It does not include act 303xx, or 170301. It also does usehold child was awake (determine)	not include any activity
TRTO	Total time sper children < 13	t during diary day providing sec	condary childcare for own	Respondent File
	Edited Universe	e: All respondents		
	Valid Entries:	0	Min Value	
	* Note: TRT(	1440 D is the sum of all values of TR	Max Value FO LN for each TUCASEID	
TRTO_LN	Total time sper children < 13	t during activity providing secon	ndary childcare for own	Activity File
	Edited Univers	e: All activities for responden	ts with at least one own child <	: 13
	Valid Entries:	0 1440	Min Value Max Value	
		D_LN is the maximum for the ac DNHH_LN		: TRTOHH_LN and
TRTOHH	Total time sper household child	t during diary day providing sec dren < 13	condary childcare for own	Respondent File
	Edited Universe	e: All respondents		
	Valid Entries:	0	Min Value	
		1440	Max Value	

<u>Name</u>	<u>Description</u>			<u>File</u>
TRTOHH_LN	Total time spent	during activity providing seco	TRTOHH_LN for each TUCAS ndary childcare for own	SEID Activity File
	household childre Edited Universe:		ts with at least one own house	shold shild < 12
	Edited Offiverse.	All activities for responder	its with at least one own house	eriola crilia < 13
	Valid Entries:	0	Min Value	
	* Note: TDTO	1440	Max Value	ition with outivity and an
	of 0101 of any a	xx, 0301xx, 0302xx, 0303xx,	CC5. It does not include activ or 170301. It also does not in a child was awake (determined flag for this variable.	clude any activity or part
TRTOHHCHILD	Total time respon	dent spent with own househo	old children < 18	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
	* Nista . This	1440	Max Value	artistica a facili latata in la
TDTONUL	informa	ntion is not collected, such as	VHO_CODE information; all a sleeping, are omitted from the	e calculation
TRTONHH	non-household cl	during diary day providing sed nildren < 13	condary childcare for own	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
	* Note: TRTON	NHH is the sum of all values o	f TRTONHH_LN for each TU	CASEID
TRTONHH_LN	Total time spent of household children	during activity providing seconen < 13	ndary childcare for own non-	Activity File
	Edited Universe:	All activities for responder	its with at least one own non-h	nousehold child < 13
	Valid Entries:	0	Min Value	
	* Note: TRTON	1440	Max Value UCC7. It does not include act	ivitios with activity
	codes		303xx, 0401xx, 0402xx, 0403	
TRTONHHCHILD	Total time respon	dent spent with own non-hou	sehold children < 18	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
	* Note: This wa	1440	Max Value	ativitia a far vulai ala vula a
TDTODONIN	informa	ntion is not collected, such as	VHO_CODE information; all a sleeping, are omitted from the	calculation
TRTSPONLY		ident spent with spouse only		Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
		1440	Max Value	
			VHO_CODE information; all a sleeping, are omitted from the	
TRTSPOUSE	Total time respon	dent spent with spouse (other	rs may be present)	Respondent File

<u>Name</u>	<u>Description</u> Edited Universe:	All responde	ents	<u>File</u>
	Valid Entries:	0	Min Value	
	Valia Entitios.	1440	Max Value	
			uted using TUWHO_CODE information ected, such as sleeping, are omitted for the contract of the contract of t	
TRTUNMPART	Total time respond present)	lent spent with	n unmarried partner (others may be	Respondent File
	Edited Universe:	All responde	ents	
	Valid Entries:	0 1440	Min Value Max Value	
			uted using TUWHO_CODE information acted, such as sleeping, are omitted fit	
TRWERNAL	TRERNWA: alloca	ition flag		Respondent File
	Edited Universe:	TELFS = 1 o	or 2 and TEIO1COW = 1 - 5	
	Valid Entries:	0 1	TRERNWA does not contain allocate TRERNWA contains allocated inform	
TRWHONA	Who information n	ot asked for a	ctivity	Who File
	Edited Universe:	All activities		
	Valid Entries:	0	TUWHO_CODE asked	
TRYHHCHILD	Age of youngest h	1	TUWHO_CODE not asked	Respondent File
TRTHHCHILD	Edited Universe:	TRHHCHILI		nespondent rile
	Edited Universe.	IKHHCHILI	J = 1	
	Valid Entries:	0 17	Min Value Max Value	
TTHR	Hourly pay topcod	• •	Widx Value	Respondent File
	Valid Entries:	0	Not topcoded Topcoded	
	* Note: Indicate:	•	hourly pay in earnings variables	
TTOT	Overtime amount	topcode flag		Respondent File
	Valid Entries:	0	Not topcoded	
	* Note: Indicate:	। s topcoding of	Topcoded overtime pay in earnings variables	
TTWK	Weekly earnings to	opcode flag		Respondent File
	Valid Entries:	0	Not topcoded Topcoded	
	* Note: Indicate:	s topcoding of	weekly pay in earnings variables	
TUABSOT	In the last seven d	ays, did you h	ave a job either full or part time?	Respondent File
	Valid Entries:	1	Yes	
		2	No Dating d	
		3 4	Retired Disabled	
		5	Unable to work	
TUACTDUR	Duration of activity	r in minutes (la	ast activity not truncated at 4:00 a.m.)	Activity File

<u>Name</u>	<u>Description</u>				<u>File</u>
	Valid Entries:	1		Min Value	
		9999		Max Value	
TUACTDUR24	Duration of activity	in minutes (	last activity trun	cated at 4:00 a.m.)	Activity File
	Valid Entries:	1		Min Value	
THE OTHER STATE		1440		Max Value	A .: :- E'! \A# E'!
TUACTIVITY_N	Activity line number	er			Activity File, Who File
	Valid Entries:	1		Min Value	
TUBUS	Does anyone in th	90 e household	own a husiness	Max Value	Respondent File
10000	•			or a raini:	1 toopondent 1 lie
	Valid Entries:	1 2	Yes No		
TUBUS1	In the last seven d or farm?		-	vork in the family business	Respondent File
	Valid Entries:	1	Yes		
	valid Elitiles.	2	No		
TUBUS2OT	Do you receive pa	yments or pro	ofits from the bu	siness?	Respondent File
	Valid Entries:	1	Yes		
		2	No		
TUBUSL1	TULINENO of farn	n or business	owner (first ow	ner)	Respondent File
	Valid Entries:	0		Min Value	
		30	· · · · · · · · · · · · · · · · · · ·	Max Value	
TUBUSL2	TULINENO of farn	n or business	owner (second	owner)	Respondent File
	Valid Entries:	0		Min Value	
TUBUSL3	TULINENO of farn	30	owner (third ow	Max Value	Respondent File
TODOSES			owner (tilla ov		Nespondent i lie
	Valid Entries:	0 30		Min Value Max Value	
TUBUSL4	TULINENO of farn		owner (fourth o		Respondent File
	Valid Entries:	0	,	Min Value	·
	vana Enalosi	30		Max Value	
TUBWGT	ATUS base weigh	t			Respondent File
	Valid Entries:	1		Min Value	
		999999.99		Max Value	
TUCASEID	ATUS Case ID (14	l-digit identifi	er)		All Files
TUCC2	Time first househo	old child < 13	woke up		Respondent File
	Valid Entries:	00:00:00		Min Value	
TUCC4	Time last househo	24:00:00	went to hed	Max Value	Respondent File
10004			Went to bed	M' - M-L.	riespondent i lie
	Valid Entries:	00:00:00 24:00:00		Min Value Max Value	
TUCC5			ousehold childre	en < 13 in your care during	Activity File
	this activity?  Valid Entries:	0	No		
	Tana Littles.	1	Yes		
		97		activities involved childcare	
TUCC5B	Was at least one of during this activity		wn household c	hildren < 13 in your care	Activity File

Name_	Description				File
	Valid Entries:	0	No		
	Valid Ellaissi	1	Yes		
		97	No additional a	activities involved childcare	
TUCC7	Was at least one o during this activity?	f your own no		ildren < 13 in your care	Activity File
	Valid Entries:	0	No		
		1	Yes		
		97		activities involved childcare	
TUCC8	Other than househ child 0-12 in your o			ildren < 13, was there a	Activity File
	Valid Entries:	0	No		
		1	Yes		
T11000	• "	97		activities involved childcare	D 1 . 5"
TUCC9	to you?	on-househol	ŕ	ared for in TUCC8 related	Respondent File
	Valid Entries:	1	Yes		
		2	No		
THOUMBUD	0	3	Some are, son		A althought
TUCUMDUR	Cumulative duratio			es; last activity not ve total of TUACTDUR for	Activity File
	each TUCASEID)		nutes (cumulativ		
	Valid Entries:	1		Min Value	
THOU IN ADULDO A	0 1 " 1 "	9999		Max Value	A .: : = =:1
TUCUMDUR24				es; last activity truncated at ACTDUR24 for each	Activity File
	Valid Entries:	1		Min Value	
		1440		Max Value	
TUDIARYDATE			hich the respond	dent was interviewed)	Respondent File
	Valid Entries:	20040101		Min Value	
	# N	20041231		Max Value	
	* Note: TUDIAR	YDA I E is in	YYYYMMDD for	mat	
TUDIARYDAY	Day of the week of was interviewed)	diary day (da	ay of the week a	bout which the respondent	Respondent File
	Valid Entries:	1	Sunday		
		2	Monday		
		3	Tuesday		
		4	Wednesday		
		5	Thursday		
		6 7	Friday		
TUDIS	Last time we speke	•	Saturday	ld you were reported to	Respondent File
סומסו		oes your dis		ou from doing any kind of	Nespondent i lie
	Valid Entries:	1	Yes		
		2	No		
		3		isability last time	
TUDIS1	Does your disability the next six months			any kind of work during	Respondent File
	Valid Entries:	1	Yes		
		2	No		

<u>Name</u>	<u>Description</u>				<u>File</u>
TUDIS2	Do you have a disa		events you from	accepting any kind of work	Respondent File
	Valid Entries:	1	Yes		
		2	No		
TUERN2	Weekly overtime e	arnings (2 im	plied decimals)		Respondent File
	Valid Entries:	0		Min Value	
		288461		Max Value	
TUERNH1C	What is your hourl commissions? (2 i			uding overtime pay, tips, or	Respondent File
	Valid Entries:	0		Min Value	
		9999		Max Value	
		red if the resporer is not corr		s that the recorded hourly rate	read back by the
TUFINLWGT	ATUS final weight				Respondent File
	Valid Entries:	0		Min Value	
		999999999	.9999999	Max Value	
TUFWK	In the last seven d	ays did you d	o any work for p	ay or profit?	Respondent File
	Valid Entries:	1	Yes		
		2	No		
		3	Retired		
		4	Disabled		
		5	Unable to work	(	
TUIO1MFG	Is this business or wholesale trade, o			turing, retail trade,	Respondent File
	Valid Entries:	1	Manufacturing		
		2	Retail trade		
		3	Wholesale trad		
=:::0>>.1		4	Something else		
TUIODP1				ld, you were reported to r (employer's name)?	Respondent File
	Valid Entries:	1	Yes		
		2	No		
TUIODP2	Have the usual ac CPS interview)? (r		ities of your job o	changed since (month of	Respondent File
	Valid Entries:	1	Yes		
		2	No		
TUIODP3		our usual dut	ties were (activiti	ld, you were reported as ies). Is this an accurate	Respondent File
	Valid Entries:	1	Yes		
		2	No		
TULAY	During the last sev	en days were	e you on layoff from	om your job?	Respondent File
	Valid Entries:	1	Yes		
		2	No		
		3	Retired		
		4	Disabled		
		5	Unable to work		
TULAY6M	Have you been give the next 6 months		ation that you will	I be recalled to work within	Respondent File
	Valid Entries:	1	Yes		

<u>Name</u>	Description Valid Entries:	2	No	<u>File</u>
TULAYAVR			a job in the last week?	Respondent File
	Valid Entries:	1 2 3	Own temporary illness Going to school Other	
TULAYDT	Has your employe	r given you a	date to return to work? (to layoff job)	Respondent File
	Valid Entries:	1 2	Yes No	
TULINENO	ATUS person line	number		ATUS-CPS File, Respondent File, Roster File, Who File
	Valid Entries:	1 30	Min Value	
	* Note: The pers		Max Value to be interviewed for ATUS is always TULINE!	NO = 1
TULK	<u> </u>		to find work during the last four weeks?	Respondent File
	Valid Entries:	1 2 3 4 5	Yes No Retired Disabled Unable to work	
TULKAVR	Why could you not	: have started	a job last week?	Respondent File
	Valid Entries:	1 2 3 4	Waiting for new job to begin Own temporary illness Going to school Other	
TULKDK1	You said you have looking? (first meth		o find work. How did you go about	Respondent File
	- TULKN	16, TULKDK1	Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment cer Sent out resumes/filled out applications Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/courses Nothing Other passive bb search methods, users must combine all fiel- TULKDK6, and TULKPS1 - TULKPS6	elds TELKM1, TULKM2
TULKDK2	TULKDK1 text: (se	econd method		Respondent File
	Valid Entries:	1 2 3 4 5 6	Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment cer Sent out resumes/filled out applications	nter

<u>Name</u>	<u>Description</u>				<u>File</u>
	Valid Entries:	7 8 9 10 11	Placed or answ Other active Looked at ads		
	* Note: In order	97	No additional j	ob search activities ods, users must combine all f	ields TFI KM1 TUI KM2
	- TULKI	л6, TULKDK		nd TULKPS1 - TULKPS6	
TULKDK3	TULKDK1 text: (th	nird method)			Respondent File
	Valid Entries:  * Note: See val	1 97 d values for	בווו אטאט	Min Value Max Value	
TULKDK4	TULKDK1 text: (fo				Respondent File
TOLKDR4			)	Min Value	Nespondent ine
	Valid Entries:	1 97		Max Value	
	* Note: See val	d values for	TULKDK2		
TULKDK5	TULKDK1 text: (fi	fth method)			Respondent File
	Valid Entries:	1 97		Min Value Max Value	
THEOR		d values for	TULKDK2		Danas dan E'la
TULKDK6	TULKDK1 text: (s				Respondent File
	Valid Entries:  * Note: See val	1 97 d values for	TULKDK2	Min Value Max Value	
TULKM2		things you h		work during the last 4	Respondent File
			Contacted public Contacted privice Contacted fried Contacted school Sent out resum Checked union Placed or answorther active Looked at adsum Attended job to Other passive No additional job search methological fried Contacted C		
TULKM3	TULKM2 text: (thi	·			Respondent File
	Valid Entries:	1 97		Min Value Max Value	
		d values for	TULKM2		
TULKM4	TULKM2 text: (for	irth method)			Respondent File

Name	Description			File
<u>ivaine</u>	Valid Entries:	1	Min Value	<u>1 116</u>
	valid Entries:	1 97	Min Value Max Value	
	* Note: See val	id values for		
TULKM5	TULKM2 text: (fift	h method)		Respondent File
	Valid Entries:	1	Min Value	
		97	Max Value	
	* Note: See val	id values for	TULKM2	
TULKM6	TULKM2 text: (six	th method)		Respondent File
	Valid Entries:	1	Min Value	
		97	Max Value	
	* Note: See val	id values for	TULKM2	
TULKPS1	Can you tell me n method)	ore about wh	nat you did to search for work? (first	Respondent File
	Valid Entries:	1	Contacted employer directly/interview	
		2	Contacted public employment agency	
		3	Contacted private employment agency	
		4	Contacted friends or relatives	
		5	Contacted school/university employment	center
		6 7	Sent out resumes/filled out applications Checked union/professional registers	
		8	Placed or answered ads	
		9	Other active	
		10	Looked at ads	
		11	Attended job training programs/courses	
		12	Nothing	
		13	Other passive	
		97	No more job search activities	
			ob search methods, users must combine al 1 - TULKDK6, and TULKPS1 - TULKPS6	ll fields TELKM1, TULKM2
TULKPS2	TULKPS1 text: (s	econd metho	d)	Respondent File
	Valid Entries:	1	Contacted employer directly/interview	
		2	Contacted public employment agency	
		3	Contacted private employment agency	
		4	Contacted friends or relatives	
		5	Contacted school/university employment	center
		6 7	Sent out resumes/filled out applications Checked union/professional registers	
		8	Placed or answered ads	
		9	Other active	
		10	Looked at ads	
		11	Attended job training programs/courses	
		13	Other passive	
		97	No additional job search activities	
			ob search methods, users must combine al 1 - TULKDK6, and TULKPS1 - TULKPS6	ll fields TELKM1, TULKM2
TULKPS3	TULKPS1 text: (th	nird method)		Respondent File
	Valid Entries:	1	Min Value	
	* Note: See val	97 id values for <sup>-</sup>	Max Value	
	inole. See vai	iu values ior	IULNF32	

<u>Name</u>	<u>Description</u>				<u>File</u>
TULKPS4	TULKPS1 text: (fo	Respondent File			
	Valid Entries:	1		Min Value	
		97		Max Value	
	* Note: See vali	d values for 1	TULKPS2		
TULKPS5	TULKPS1 text: (fit	th method)			Respondent File
	Valid Entries:	1		Min Value	
		97		Max Value	
	* Note: See vali	d values for T	TULKPS2		
TULKPS6	TULKPS1 text: (si	xth method)			Respondent File
	Valid Entries:	1		Min Value	
	<b></b>	97	T. II 14000	Max Value	
		d values for T			
TUMONTH	interviewed)	/ (month of da	ay about which A	TUS respondent was	Respondent File
	Valid Entries:	1		Min Value	
		12		Max Value	
TURETOT	be retired. Are you			ehold you were reported to	Respondent File
	Valid Entries:	1	Yes		
		2	No		
TUDDD	D 1 .: 1: . A7	3	Was not retired	d last time	D . E"
TURRP	Relationship to AT	•			Roster File
	Valid Entries:	18	Self		
		19	Self		
		20 21	Spouse	<b>.</b>	
		22	Unmarried par Own househol		
		23	Grandchild	a crilla	
		23 24	Parent		
		25	Brother/sister		
		26	Other relative		
		27	Foster child		
		28	Housemate/roo	ommate	
		29	Roomer/board		
		30	Other nonrelat		
		40	Own non-hous	ehold child < 18	
		no distinction ent's househ		d 19. Codes of 40 refer to peo	ople living outside the
TUSPABS	In the last seven of either full or part to		spouse or unma	arried partner have a job	Respondent File
	Valid Entries:	1	Yes		
		2	No		
		3	Retired		
		4	Disabled		
		5	Unable to work		
TUSPUSFT	week?	or unmarried	d partner usually	work 35 hours or more per	Respondent File
	Valid Entries:	1	Yes		
		2	No		
		3	Hours vary		

<u>Name</u>	<u>Descript</u>					<u>File</u>
	Valid En		4	No longer has	•	
TUSPWK	In the las		ays, did your	spouse or unma	arried partner do any work	Respondent File
	Valid En	tries:	1 2 3 4 5	Yes No Retired Disabled Unable to worl	k	
TUSTARTTIM	Activity	start time				Activity File
	Valid En	tries:	00:00:00 24:00:00		Min Value Max Value	
TUSTOPTIME	Activity	stop time				Activity File
	Valid En	tries:	00:00:00 24:00:00		Min Value Max Value	
TUTIER1CODE	Lexicon	Tier 1: 1st	and 2nd digi	ts of 6-digit activ	vity code	Activity File
	Valid En		01 50		Min Value Max Value	
	* Note:	Valid act activity of TUTIER	odes are cre	re listed in the 2 ated by combini	004 Coding Lexicon (see noted in the second	Appendix A). Six-digit ER2CODE, and
TUTIER2CODE	Lexicon	Tier 2: 3rd	l and 4th digit	ts of 6-digit activ	ity code	Activity File
	Valid En	tries:	01 99		Min Value Max Value	
	* Note:		odes are cre		004 Coding Lexicon (see noted in the second	
TUTIER3CODE	Lexicon	Tier 3: 5th	and 6th digit	ts of 6-digit activ	ity code	Activity File
	Valid En	tries:	01 99		Min Value Max Value	
	* Note:		odes are cre		004 Coding Lexicon (see ng TUTIER1CODE, TUTI	
TUWHO_CODE	Who was	s in the ro	om with you /	Who accompar	nied you?	Who File
	Valid En	tries:	18 19 20 21 22 23 24 25 26 27 28 29 30 40 51 52	Parents (not liv	d child person ommate ler	18

Name	Description			File_
<u></u>	Valid Entries:	53	Other non-household family members 18 a	
			parents-in-law)	
		54	Friends	
		55	Co-workers/colleagues/clients	
		56	Neighbors/acquaintances	
		57	Other non-household children < 18	
		58	Other non-household adults 18 and older	
	or 5001	06. There is	tivities with activity codes of 0101xx, 0102xx, ono distinction between 18 and 19. All codes on the respondent's household.	
TUYEAR	Year of diary day	(year of day	about which respondent was interviewed)	Respondent File
	Valid Entries:	2004	Min Value	
		2004	Max Value	
TXABSRSN	TEABSRSN: allo	cation flag		Respondent File
	Valid Entries:	00	Min Value	
		53	Max Value	
	* Note: See Int	roduction for	allocation flag values	
TXAGE	TEAGE: allocatio	n flag		Roster File
	Valid Entries:	00	Value - no change	
		01	Blank - no change	
		02	Don't know - no change	
		03	Refused - no change	
		10	Value to value	
		11	Blank to value	
		12	Don't know to value	
		13	Refused to value	
		20	Value to longitudinal value	
		21	Blank to longitudinal value	
		22	Don't know to longitudinal value	
		23	Refused to longitudinal value	
		30	Value to allocated longitudinal value	
		31	Blank to allocated longitudinal value	
		32	Don't know to allocated longitudinal value	
		33 40	Refused to allocated longitudinal value Value to allocated value	
		40 41	Blank to allocated value	
		42	Don't know to allocated value	
		43	Refused to allocated value	
		50	Value to blank	
		52	Don't know to blank	
		53	Refused to blank	
		60	Topcoded	
		61	Topcoded and allocated	
	* Note: There a		values (60 and 61) that are not valid values for	or any other TX variable
TXERN	TEERN: allocatio	n flag		Respondent File
			May V-L	. toopondoner no
	Valid Entries:	00	Min Value	

Max Value

53

\* Note: See Introduction for allocation flag values

<u>Name</u>	<u>Description</u>	<u>File</u>
TXERNH10	TEERNH1O: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	53 Max Value  * Note: See Introduction for allocation flag values	
TXERNH2	TEERNH2: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	53 Max Value  * Note: See Introduction for allocation flag values	
TXERNHRO	TEERNHRO: allocation flag	Respondent File
	Valid Entries: 00 Min Value	1 toopondont 1 no
	53 Max Value	
	* Note: See Introduction for allocation flag values	
TXERNHRY	TEERNHRY: allocation flag	Respondent File
	Valid Entries: 00 Min Value 53 Max Value	
	* Note: See Introduction for allocation flag values	
TXERNPER	TEERNPER: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	53 Max Value  * Note: See Introduction for allocation flag values	
TXERNRT	TEERNRT: allocation flag	Respondent File
77(2) (1) (1)	Valid Entries: 00 Min Value	r toopondont i no
	53 Max Value	
TYPDIIIOT	* Note: See Introduction for allocation flag values	5 1 . 5"
TXERNUOT	TEERNUOT: allocation flag	Respondent File
	Valid Entries: 00 Min Value 53 Max Value	
	* Note: See Introduction for allocation flag values	
TXERNWKP	TEERNWKP: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	<ul><li>53 Max Value</li><li>* Note: See Introduction for allocation flag values</li></ul>	
TXHRFTPT	TEHRFTPT: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	53 Max Value	
TVIIDUOI 1	* Note: See Introduction for allocation flag values	Deenendent Cile
TXHRUSL1	TEHRUSL1: allocation flag  Valid Entries: 00 Min Value	Respondent File
	53 Max Value	
	* Note: See Introduction for allocation flag values	
TXHRUSL2	TEHRUSL2: allocation flag	Respondent File
	Valid Entries: 00 Min Value 53 Max Value	
	53 Max Value  * Note: See Introduction for allocation flag values	
	÷ i	

<u>Name</u>	<u>Description</u>	<u>File</u>
TXHRUSLT	TEHRUSLT: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	53 Max Value * Note: See Introduction for allocation flag values	
TXIO1COW	TEIO1COW: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	53 Max Value	
TXIO1ICD	* Note: See Introduction for allocation flag values TEIO1ICD: allocation flag	Respondent File
TAIOTIOD	Valid Entries: 00 Min Value	respondent inc
	53 Max Value	
	* Note: See Introduction for allocation flag values	
TXIO10CD	TEIO1OCD: allocation flag	Respondent File
	Valid Entries: 00 Min Value 53 Max Value	
	* Note: See Introduction for allocation flag values	
TXLAYAVL	TELAYAVL: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	53 Max Value	
TXLAYLK	* Note: See Introduction for allocation flag values  TELAYLK: allocation flag	Pagnandant Fila
IALATER	Valid Entries: 00 Min Value	Respondent File
	53 Max Value	
	* Note: See Introduction for allocation flag values	
TXLFS	TELFS: allocation flag	Respondent File
	Valid Entries: 00 Min Value 53 Max Value	
	* Note: See Introduction for allocation flag values	
TXLKAVL	TELKAVL: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	53 Max Value	
TXLKM1	* Note: See Introduction for allocation flag values  TELKM1: allocation flag	Respondent File
IALKIVII	Valid Entries: 00 Min Value	Nespondent i lie
	53 Max Value	
	* Note: See Introduction for allocation flag values	
TXMJOT	TEMJOT: allocation flag	Respondent File
	Valid Entries: 00 Min Value 53 Max Value	
	53 Max Value  * Note: See Introduction for allocation flag values	
TXRET1	TERET1: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	53 Max Value	
	* Note: See Introduction for allocation flag values	

<u>Name</u>	<u>Description</u>	<u>File</u>
TXRRP	TERRP: allocation flag	Roster File
	Valid Entries: 00 Min Value	
	53 Max Value  * Note: See Introduction for allocation flag values	
TXSCHENR	TESCHENR: allocation flag	Respondent File
	Valid Entries: 00 Min Value	
	53 Max Value  * Note: See Introduction for allocation flag values	
TXSCHFT	TESCHFT: allocation flag	Respondent File
17.001111	Valid Entries: 00 Min Value	respondent ile
	53 Max Value	
	* Note: See Introduction for allocation flag values	
TXSCHLVL	TESCHLVL: allocation flag	Respondent File
	Valid Entries: 00 Min Value 53 Max Value	
	* Note: See Introduction for allocation flag values	
TXSEX	TESEX: allocation flag	Roster File
	Valid Entries: 00 Min Value	
	53 Max Value  * Note: See Introduction for allocation flag values	
TXSPEMPNOT	TESPEMPNOT: allocation flag	Respondent File
THE LIMIT TO	Valid Entries: 00 Min Value	r toopondone r no
	53 Max Value	
	* Note: See Introduction for allocation flag values	
TXSPUHRS	TESPUHRS: allocation flag	Respondent File
	Valid Entries: 00 Min Value 53 Max Value	
	* Note: See Introduction for allocation flag values	
TXTCC	TRTCC_LN and TRTCC: allocation flag	Respondent File
	Valid Entries: 0 TRTCC_LN and TRTCC do not contain	
	<ul> <li>TRTCC_LN and TRTCC contain allocate</li> <li>* Note: A value of 1 indicates that at least one of the following variables</li> </ul>	
	TRTOHH_LN, TRTNOHH_LN, or TRTONHH_LN	o io anocatca.
TXTCCTOT	TRTCCTOT_LN and TRTCCTOT: allocation flag	Respondent File
	Valid Entries:0TRTCCTOT_LN and TRTCCTOT do not1TRTCCTOT_LN and TRTCCTOT contain	
	* Note: A value of 1 indicates that at least one of the following variables TRTCOC_LN, TRTOHH_LN, TRTNOHH_LN, or TRTONHH_LN	s is allocated:
TXTCOC	TRTCOC_LN and TRTCOC: allocation flag	Respondent File
	Valid Entries: 0 TRTCOC_LN and TRTCOC do not conta	
	TRTCOC_LN and TRTCOC contain allo * Note: Allocated values are based on time spent with non-own non-ho	
	when no other non-household adult was present. Calculations of with activity codes of 0101xx, 0301xx, 0302xx, 0303xx, 0401xx or 170401.	do not include activities
TXTHH	TRTHH_LN and TRTHH: allocation flag	Respondent File

<u>Name</u>	<u>Description</u>		<u>File</u>	
	Valid Entries:		and TRTHH do not contain allocated data	
		<del>-</del>	and TRTHH contain allocated data	
		e of 1 indicates that at least or HH_LN or TRTNOHH_LN	one of the following variables is allocated:	
TXTNOHH	TRTNOHH_LN a	OHH_LN and TRTNOHH: allocation flag Respondent File		
	Valid Entries:	1 TRTNOHH_L	LN and TRTNOHH do not contain allocated data LN and TRTNOHH contain allocated data	
	Calcula 0303xx	ations do not include activities s, or 170301. They also do no	spent with non-own household children < 13. s with activity codes of 0101xx, 0301xx, 0302xx, ot include any activities or parts of any activities in see (determined by TUCC2 and TUCC4).	
TXTO	TRTO_LN and TI	RTO: allocation flag	Respondent File	
	Valid Entries:	<del></del>	nd TRTO do not contain allocated data	
	* Note: A value	<del>_</del>	nd TRTO contain allocated data one of the following variables is allocated:	
		HH_LN or TRTONHH_LN	The of the following variables is allocated.	
ТХТОНН	TRTOHH_LN and	d TRTOHH: allocation flag	Respondent File	
	Valid Entries:	_	N and TRTOHH do not contain allocated data N and TRTOHH contain allocated data	
	do not 170301	include activities with activity I. They also do not include an	spent with own household children < 13. Calculations codes of 0101xx, 0301xx, 0302xx, 0303xx, or ny activities or parts of any activities in which no nined by TUCC2 and TUCC4).	
TXTONHH	TRTONHH_LN a	nd TRTONHH: allocation flag	g Respondent File	
	Valid Entries:		LN and TRTONHH do not contain allocated data LN and TRTONHH contain allocated data	
	Calcula		·	
TXWHERE	TEWHERE: alloc	ation flag	Activity File	
	Valid Entries:	00 53	Min Value Max Value	
	* Note: See Int	roduction for allocation flag v	/alues	

# **APPENDIX A**

# **Detailed Industry Code (TRDTIND1)**

TRDTIND1	Description	TEIO1ICD
1	Agriculture	0170-0180, 0290
2	Forestry, logging, fishing, hunting, and trapping	0190-0280
3	Mining	0370-0490
4	Construction	770
5	Nonmetallic mineral product manufacturing	2470-2590
6	Primary metals and fabricated metal products	2670-2990
7	Machinery manufacturing	3070-3290
8	Computer and electronic product manufacturing	3360-3390
9	Electrical equipment, appliance manufacturing	3470, 3490
10	Transportation equipment manufacturing	3570-3690
11	Wood product manufacturing	3770-3870
12	Furniture and fixtures manufacturing	3890
13	Miscellaneous and not specified manufacturing	3960-3990
14	Food manufacturing	1070-1290
15	Beverage and tobacco product manufacturing	1370, 1390
16	Textile, apparel, and leather manufacturing	1470-1790
17	Paper manufacturing and printing	1870-1990
18	Petroleum and coal products manufacturing	2070, 2090
19	Chemical manufacturing	2170-2290
20	Plastics and rubber products manufacturing	2370-2390
21	Wholesale trade	4070-4590
22	Retail trade	4670-5790
23	Transportation and warehousing	6070-6390
24	Utilities	0570-0690
25	Publishing industries (except internet)	6470-6490
26	Motion picture and sound recording industries	6570, 6590
27	Broadcasting (except internet)	6670
28	Internet publishing and broadcasting	6675
29	Telecommunications	6680, 6690
30	Internet service providers and data processing services	6692, 6695
31	Other information services	6770, 6780
32	Finance	6870-6970
33	Insurance	6990
34	Real estate	7070
35	Rental and leasing services	7080-7190
36	Professional, scientific, and technical services	7270-7490
37	Management of companies and enterprises	7570
38	Administrative and support services	7580-7780
39	Waste management and remediation services	7790
40	Educational services	7860-7890
41	Hospitals	8190

42	Health care services, except hospitals	7970-8180, 8270, 8290
43	Social assistance	8370-8470
44	Arts, entertainment, and recreation	8560-8590
45	Traveler accommodation	8660, 8670
46	Food services and drinking places	8680, 8690
47	Repair and maintenance	8770-8890
48	Personal and laundry services	8970-9090
49	Membership associations and organizations	9160-9190
50	Private households	9290
51	Public administration	9370-9590

# **Industry Codes (TEIO1ICD)**

Available at <a href="http://www.bls.gov/tus/census02iocodes.pdf">http://www.bls.gov/tus/census02iocodes.pdf</a>

# **Occupation Codes (TEIO10CD)**

Available at <a href="http://www.bls.gov/tus/census02iocodes.pdf">http://www.bls.gov/tus/census02iocodes.pdf</a>

# 2004 Activity Codes (Concatenated TUTIER1CODE, TUTIER2CODE, and TUTIER3CODE)

Available at www.bls.gov/tus/lexiconwex2004.pdf